

Getting an EPSDT screening at the right time is the best way to make sure your child continues to be healthy.

Adolescents/young adults need check-ups at:



My Health Pays Rewards:

- \$25 Infant Well Care Visit
- **Must complete ALL six visit with assigned PCP.
- **2, 4, 6, 9, 12 and 15-month infant well care visits.
- \$20 Child Well Care Visits

**Starts at 2 years old. Once Per Year.

Required Immunizations for Children 0 - 3 Years Old

BIRTH	1 MONTH	2 MONTH	4 MONTH	6 MONTH	9 MONTH	12 MONTH	15 MONTH	18 MONTH	19-23 MONTHS	2-3 YEARS
HepB 1 st dose	HepB < 2 nd dose >			HepB < 3 rd dose >						
		Roto- virus 1 st dose	Roto- virus 2 nd dose	Roto- virus 3 rd dose						
		DTap 1st dose	DTap 2 nd dose	DTap 3 rd dose			DTap			
		Hib 1 st 1 st dose	Hib 2 nd dose	Hib 3 rd dose			Hib th dose >			
		PCV13 1 st dose	PCV13 2 nd dose	PCV13 3 rd dose		PC\ < 4 th c				
	PCV13 1st dose		PCV13 2 nd dose	IPV <>						
				Influ- enza (yearly)	Influ- enza (yearly)	Influ- enza (yearly)	Influ- enza (yearly)	Influ- enza (yearly)	Influ- enza (yearly)	Influ- enza (yearly)
						MMR < 1 st dose >				
						VAR < 1 st dose >				
						< НерА			>	,

Range of recommended ages for all children

Range of recommended ages for catch-up vaccination

- * HepB Hepatitis B
- * DTaP Diphtheria, tetanus, acellular pertussis
- * Hib Haemophilus influenzae type b
- * PCV Pneumococcal conjugate
- * IPV Inactivated poliovirus
- * MMR Measles, mumps, rubella
- * VAR Varicella
- * HepA Hepatitis A